Remarkable research for healthy ageing
THE DUNHILL MEDICAL TRUST

Keele UNIVERSITY

NHS
Midlands Partnership
NHS Foundation Trust
A Keele University Teaching Trust

Primary Care Indicators of Dementia Health

Safety
Fall
Fracture
Intracranial Injury
Safety Assessment

Daily Functioning
Bedbound, Wheelchair
Mobility Limitation (severe)
Mobility Limitation (less severe)
Pressure Sore, Driving
Difficulty in Eating
Difficulty Handling Finance
Personal Care Limitation
Stairs Limitation

Care
Home Help / Day Care
Carer
Shared Decision Making
Advanced Directive

Diet / Nutrition
Poor Diet
Poor Nutrition
Weight Loss
Dietary Supplement

Change in Dementia-Related Drug
New or Changed Dementia-Related Drug Prescription

Severe Neuropsychiatric
Severe Mental Illness
Sectioned
Crisis
Suicidal

Neuro-psychiatric
Depression / Anxiety / Stress
Sleep Problems
Behavioural Issues
Aggressive Behaviour
Low Mood
Wandering

Home Pressures
Marital Problems / Family Row / Bereavement

Symptoms
Dizziness, Incontinence
Constipation / IBS, Diarrhoea
Urinary, Neurological
Chest Pain (non-cardiovascular)
Oral Health, Swallowing
Hearing Loss
"Feels Unwell"

Comorbidity
Cardiovascular
Parkinson's Disease
Motor Neurone Disease
Diabetes, Epilepsy, Stroke
Anaemia, Asthma / COPD
Musculoskeletal Pain
Ocular, Hypertension
Candidiasis

Increased Multimorbidity
Increase in Count of Different Drugs Prescribed

Imaging
X-ray / MRI / DXA / ECG / Angiogram / CAT Scan

Cognitive Function
Cognitive Decline
Memory Loss
Confusion
Aphasia

MEDDIP

Reference: Marshall M, Campbell P, Bailey J, Chew-Graham CA, Croft P, Frisher M, Hayward R, Negi R, Rathod-Mistry T, Singh S, Robinson L, Sumathipala A, Thein N, Walters K, Weich S, Jordan KP. (2020) *The MEDDIP Study*: *Primary care Indicators of dementia health*, www.keele.ac.uk/meddip.